


Specification

Unit	
Main unit (D-107)	CD player + Tuner
Speaker unit (USC-107)	Satellite speaker
Subwoofer unit (USW-107)	Powered subwoofer
Amplifier Section	
Output power	
Speaker	20 W + 20 W (6 ohms, 1 kHz with 0.9 % THD)
Subwoofer	40 W (12 ohms, 100 Hz with 0.9 % THD)
Function	CD/TUNER/AUX
Tone control	TREBLE/MID/BASS
SDB (Super Dynamic Bass)	yes
Audio input/output	
AUX input	1
AUX output	1
Digital output	OPTICAL x 1
CD Player Section	
Type	Slot-In type
Disc played	Music CD, CD-R/RW (audio), CD-R/RW (MP3)
MP3 decode	yes
Play function	
Program	30
Repeat	1/1 Folder/All
Random	1 Folder/All
Tuner Section	
Preset memory	30
Clock	yes
Timer function	Everyday/Once/Sleep
Auto power off	yes
Speaker	
Type	P.P.D.D. 2-way 3-speaker, Closed box type
Speaker size	
Woofer	8 cm corn x 2
Tweeter	2 cm dome
Frequency range	100 Hz - 20 kHz
Impedance	6 ohms
Nominal input	40 W
Maximum input	80 W
Sound pressure level	89 dB (1 W, 1 m)
Subwoofer	
Type	P.P.D.D. 2-speaker, Closed box type
Speaker size	12 cm x 2
Output power	40 W (12 ohms, 100 Hz with 0.9 % THD)
Frequency range	60 Hz - 150 kHz
Impedance	12 ohms
General	
Setting	Stand/Wall mountable
Remote control	yes
Dimensions (W x H x D)	
Main unit (D-107)	204 x 267 x 82 mm, 8-1/32 x 10-33/64 x 3-15/64 inch 204 x 293 x 157 mm, 8-1/32 x 11-17/32 x 6-3/16 inch (with stand)
Speaker (USC-107)	162 x 267 x 72 mm, 6-3/8 x 10-33/64 x 2-53/64 inch 162 x 293 x 149 mm, 6-3/8 x 11-17/32 x 5-55/64 inch (with stand)
Subwoofer (USW-107)	447 x 210 x 205 mm, 17-19/32 x 8-17/64 x 8-5/164 inch
Weight	
Main unit (D-107)	2.6 kg, 5 lbs 11.7 oz
Speaker (USC-107)	1.4 kg, 3 lbs 1.74 oz
Subwoofer (USW-107)	7.9 kg, 17 lbs 6.7 oz

*Design and specifications are subject to change without notice.

Prime Sound Series

**DENON ELECTRONICS (USA), INC.**

19 CHAPIN ROAD, P.O. BOX 867, PINE BROOK, NJ 07058-9777 USA
TEL: 973-396-0810
www.denon.com

DENON CANADA, INC.

505 APPLE CREEK BLVD. UNIT 5 MARKHAM, ONTARIO L3R 5B1 CANADA
TEL: 905-475-4085
www.denon.ca

DENON, LTD.

3-16-11 YUSHIMA, BUNKYO-KU, TOKYO 113-0034 JAPAN
www.denon.co.jp



Prime Sound Series, Chapter One.





The Prime Sound Series from Denon.
Our way of enriching your space and your time,
each day and every moment.



Exquisite quality, in form and in sound.
That is the prime characteristic
of the Prime Sound Series.



D-107
CD receiver



■ Variety of installation possibilities

You can choose from a wide range of installation settings - not only on your desk or table, but also hung from your wall, making it an ideal way to accent your interior design. Although the subwoofer is basically meant to be placed on the floor or tabletop, it is also crafted to accommodate wall installation.

■ Simplified design and operation

We focused only on the essential operation keys, emphasizing ease of use and superiority of design. And we paid attention to the finest details, including the use of solid aluminum, the clear coating on the top and sides, and the display's illumination color. Total coordination lets the main unit, speakers, and subwoofer look and operate harmoniously.

■ High-performance disc loading mechanism

You'll marvel at the fluid motion of the opening and closing door. We used a slot-in type disc loading mechanism so all you do is lightly insert a CD and it is automatically pulled in and loaded for you.

■ Versatile playback capabilities

• CD-R/CD-RW Playback

In addition to regular music CDs, you can also play back CD-R/CD-RW discs and MP3 encoded discs.

• MP3 Playback

Since the D-107 is compatible with the MP3 digital audio compression format, extended playback of up to 512 tracks (files) is possible. (Approx. 650 minutes playback with disc encoded at bit rate of 128 kbps.)

The D-107 can display not only folder and file names, but can also display album and artist names as well.


* Depending on the disc, CD-R/CD-RW playback may not be possible in some instances.



■ Powerful soundscape reproduction

• Speakers Featuring P.P.D.D. Technology

The speaker system incorporates Denon's original P.P.D.D. (Push-Pull Dual Driver) system to generate powerful bass sound from small speakers (L/R), in addition to a subwoofer. In the P.P.D.D. system, the edge of one of the two woofer units is concave while the other is convex, a design that mutually cancels high-harmonic distortion and produces a clear, powerful sound.



• Subwoofer with Built-in Power Amplifier

With a subwoofer driven by a built-in 40 W amplifier, you can count on powerful sound reproduction at high volume.

■ Wide array of play functions

- Direct track selection
- 30-track program selection
- Repeat play (1 track/1 folder/all tracks)
- Random play (1 folder/all tracks)

■ Convenient tuner functions

- AM/FM 30-station random preset
- Timer function (everyday/once/sleep)

■ Other features

- Clock display
- Auto power off
- Easy-to-use remote control
- Optical digital output x 1
- Less than 1W standby power consumption



Main unit with the bottom cover



Rear panel of the subwoofer



Please consult with our Denon authorized dealers for a safe and proper installation on the wall.